

TTH300

TTH300

Desc.: 3 legs tower lift system.

- 2 telescopic section column made by steel zinc plated tube.
- Terminal tube diameter 35 mm.
- 3 folding legs.
- aluminium die cast parts.
- Two safety clamping.
- Automatic brake winch with stainless cable.

Max. Vertical Load: kg 60

Max. Height: mt 3.35

Min. Height (closed): mt 1.90

Mat.: Zinc plated steel

Weight: kg 17



RECTA

TTH350

TTH350

Desc.: 3 legs tower lift system.

- 2 telescopic section column.
- Aluminium bar for 8 spot lighting.
- 3 folding legs.
- Fixing and sliding plastic part.

Max. Vertical Load: kg 30

Max. Height: mt 3

Min. Height (closed): mt 1.7

Mat.: Anodized aluminium

Weight: kg 5,5



RECTA

TTH400



RECTA

TTH400

Desc.: 3 legs tower lift system.

- 3 telescopic section column.
- Terminal tube diameter 35 mm. with central hole M10 thread.
- 3 folding legs.
- aluminium die cast parts.
- Three safety clamping.
- Automatic brake winch with stainless cable.

Max. Vertical Load: kg 75

Max. Height: mt 3.9

Min. Height (closed): mt 1.8

Mat.: Zinc plated steel

Weight: kg 20

TTH500



RECTA

TTH500

Desc.: 3 legs tower lift system.

- 3 telescopic section column.
- Terminal tube diameter 35 mm. with central hole M10 thread.
- 3 folding legs.
- aluminium die cast parts.
- Three safety clamping.
- Automatic brake winch with stainless cable.

Max Vertical Load: kg 75

Max Height: mt 4.6

Min Height (closed): mt 2.1

Mat.: Zinc plated steel

Weight: kg 30

TTH600

TTH600

Desc.: 4 legs tower lift system.

- 4 telescopic section column made by steel zinc plated tube.
- Aluminium die cast top terminal with Ø 35 housing hole.
- Four asportable legs with adjustable feet.
- Floor plate with carry housing legs.
- Die cast fixing and sliding parts.
- Five safety clamping.
- Automatic brake winch with stainless cable.

Max Vertical Load: kg 100

Max Height: mt 5.3

Open size: mt 2,7 (**Picture 1**)

Closed size: cm 40x40x180 (**Picture 2**)

Mat.: Zinc plated steel

Weight: kg 57



Picture 2



Picture 1

TTH002



RECTA

TTH002

Desc.: Die cast aluminium adapter suitable for **TTH300 - TTH400 - TTH500** tower lifts.

Mat.: Die casting aluminum

Finish: Black

TTH001




RECTA

TTH001

Desc.: Turned steel pin adapter Ø28 mm with built-in M12 x 25 bolt. Suit for **TTH002**.

Mat.: Steel / zinc plate

TST1000



RECTA

TST1000


Desc.: Telehoist mounting adapter. Suit for tower lifts **TTH** series with **TTH002** adapter included.

Mat.: Aluminium

Finish: Raw

Weight: kg 2.3

TTH006



RECTA

TTH006

Desc.: Balancing support plate for tower lifts **TTH300, TTH400 and TTH500**.

Mat.: Aluminium

Finish: Raw

VIA ASTI 84/A - 10090 RIVOLI - TORINO - ITALY

